Apr	roved For Rele	SFC ease 2002/08/15		55.0551014L800M 56.0551014L800M	Y	25X1A
1,61 AM	1 🌤		*	CIDITI TAN		
	t a f	i		CD NO.		((b
Germany	(Russian Zone) •)		DATE DISTR.	30 No	ovember 1951
Survey of the G	f Axle Pressu Freifswaid Rai	res on Lines		NO. OF PAGES	1	* . ! !
		NS SCREETS SĄ	- AN EROCOSURE ATT	NO. OF ENCLS.	1 (2	Pages)
	1	25X1A	·	SUPPLEMENT TO REPORT NO.)	25X1X
The atta	ched material	. is forwarded	to you to loan	utention.	: : : : :	(4X) (550)
		auditori				
		T g g g				
	: : t	Tangan	. *			
		75 P.Z.			1	
5	•	1 2 2 4	70%	- · · · · · · · · · · · · · · · · · · ·	<u>.</u> .	
5						
-		Tourse de la August de la Constantina del Constantina de la Constantina del Constantina de la Constant				
		to personal and the separate			1	
	: .	T T	, , , ,			
		vereneed mat.				
				•	1	
	Germany Survey of the C	INFOI Germany (Russian Zone Survey of Axle Pressu of the Greifswald Rai The attached material	CENTRAL INTELLIGE INFORMATION Germany (Russian Zone) Survey of Axle Pressures on Lines of the Greifswald Railroad MOI DETAGH 25X1A The attached material is forwarded	CENTRAL INTELLIGENCE AGENCY INFORMATION REPORT Germany (Russian Zone) Survey of Axle Pressures on Lines of the Greifswaja Railroad Not DETACH 25X1A The attached material is forwarded to you en loan	CENTRAL INTELLIGENCE AGENCY INFORMATION REPORT CD NO. Germany (Russian Zone) Survey of Axle Pressures on Lines of the Greifswall Railroad NO. OF PAGES NO. OF PAGES NO. OF ENCLS. L NUMBER ATTRIBUTED STATE ATTRIBUTED SELONI 25X1A The attached material is forwarded to you an ioan.	CENTRAL INTELLIGENCE AGENCY INFORMATION REPORT CD NO. Germany (Russian Zone) Survey of Axle Pressures on Lines of the Greifswaii Railroad NO. OF PAGES 1 NO. OF ENCLS. 1 (2) NOT DETACH 25X1A The attached material is forwarded to you en loan.

CARLETTE TO A SHARE THE STATE OF THE STATE O

25X1A

redired district	SECRET CONTROL	Status of	Mailroad- Locomotiv	
	U.S. OFFICIALS ONLY	13 200	gar Tons	Tons
	strelits-Stralaund *	Ħ	20	20
ranionourg-wow hadnits-Angerm	sorettos—orani	Ħ	20	20
Machine - Dearm	interpolation of companies	Ħ	žó	20
tralsund-Sassn	LUA - Markwardankura &	Ħ	20	20
	k-Meubrandenburg *	Ħ	žŏ	20
Straleund-Velga		T.	20	50
ingermuende-Tan	COW ×	43 32	18	18
Charges Lde-Werb		M M	18	18
ingermiende-Bad	N. erenwerde	r K	16	16
Ingermende-Soh	NGC#	N E	16	16
Horneuchen-Wrie			16	16
Losmenberg-Temp	lin	N	16	16
Brits-Templin-P	gerstenberg	Ħ	16	1.6
Sessnits-Sasani	ts/harbor	n		16
Jatanick-Vecker		. <u>H</u>	16	16
Alessow-Wolgast	_	N	16	
Welgast-Wolgast	harbor	Ħ	16	16
Swinemuende-Wel	gaster Fachro	N	16	16
Toits-Rustow-La	its	N	15	15
	OFFICIALS ONLY	N N	15	15

SETRET CONTROL

SETRET CONTROL

SETRET CONTROL

SETRET CONTROL

Bergen-Lauterbach Thurow-Feldberg Naubrandenburg-Friedland Demmin-Tutow Velgast-Triebsees Neu-Sechagen-Franzburg Crosslin-Wolgast Demmin-Demmin/harbor Eberswalde-Finowfurth Bad Freienwalde-Hohenwutsen Grimmen-Crimmen/Schuetzenplats Prenslauer Kreisbahnen: Prenslau/West-Damme-Schoenermark Prenslau/West-Damme-Locknitz.	N N N N N N N N	16 16 16 16 16 16 16 16 16 16	16 16 15 15 16 16 15 15 15 15 15 15 15 15 15 15 16 16 16 16 16 16 16 16 16 16 16 16 16
Prenslau/West-Dedelow-Strassburg Prenslau/West-Dedelow-Fuerstenwerder Prenslau/West-Klockow	N	16	12

Note: H and N in column 2 stands for main lines and branch lines, respectively. The axle pressures in columns 3 and h are expressed in metric tons.

2. It is not possible to change the alle pressures on the narrow-gauge railroad lines in the district.

Separate On these three lines, the permissible axle pressure has been included from 18 to 20 metric tens. This is attributed to an improvement of the permanent very

SECRET CONTROL

25**X**1A